



**Product Catalog** 





| PERFORMANCE SERIES | 5  |
|--------------------|----|
| P01001             |    |
| P01201             |    |
| P01202             | _  |
| P03501             |    |
| P03601             |    |
| P03602             | 17 |
| P03603             | 19 |
| P03604             |    |
| P03605             | 23 |
| P03606             | 25 |
| P03607             | 27 |
| P03608             | 29 |
| P03609             | 31 |
| P03611             | 33 |
| P03612             | 35 |
| P05701             | 37 |
| P05702             | 39 |
| P05703             |    |
| P08001             | 43 |
| P08002             |    |
| P08003             | 47 |
| P08004             | 49 |



| WHISPER SERIES | 51 |
|----------------|----|
| W01781         | 53 |
| W01782         | 55 |
| W03081         | 57 |
| W03082         | 59 |
| W03083         | 61 |
|                |    |



| YBRID SERIES | 63 |
|--------------|----|
| H03651       | 6  |
| H03652       | 67 |
| H05751       | 69 |
| H05752       | 7  |
| H05754       | 73 |
| H08051       | 75 |
| H08053       | 77 |



| ACCESSORIES SERIES | 79 |
|--------------------|----|
| 1002               | 81 |
| 1003               | 82 |
| 1005               | 83 |
| 1006               | 84 |
| 1007               | 85 |
| 1008               | 86 |
| 1009               | 87 |
|                    |    |

# Our Story

### QUALITY IS OUR NUMBER ONE PRIORITY

As a wholly-owned subsidiary of the \$108 Billion dollar per year company Sinomach, we have produced over 10 million portable generators over the past 17 years for the worldwide market. For years we have built private label generators for companies such as Ridgid, Kohler and many others! In 2015 we made the decision to bring our manufacturing expertise to North America directly under the FIRMAN brand.

We currently operate four generator manufacturing facilities and have the ability to produce over 3,000 generators PER DAY!

Being the manufacturer means we are vertically integrated. That's a fancy way of saying that every FIRMAN generator is 100% FIRMAN from concept to design to engineering to manufacturing and production. When you take a good look at a FIRMAN gen you will see that it's all FIRMAN including our Automatic voltage regulator, carburetor, FIRMAN Fat Head Engine Block, FIRMAN Power Stream Alternator, Air Cleaner, Valve Cover and even the muffler guard.

At FIRMAN quality is our number one priority. Every new model is tested for 500 hours non-stop to make sure we catch any areas for improvement before production. We test all of our generators in a hot/cold room that simulates both freezing cold winter nights and blistering hot summer days. Testing in a huge, pressurized room allows us to simulate the elevations at which customers might live enabling us to ensure that whether you live at the beach or high in the mountains your FIRMAN generator will always provide the power you need.

All of this testing leads to constant innovation. We feel that it's not enough to be "as-good" as the competition, so we strive to be better in every way that matters to our customers. After conducting extensive research into what our customers really want in a portable generator our conclusions were no surprise. Our findings indicated people want more power, bigger fuel tanks, longer run times and excellent customer support.

We engineered our performance line with these customer desires in-mind by providing independently certified industry-leading power output. We increased our tank sizes to be over 25% bigger than our competition in every category (where they have 3.4 gallon tanks we went with 5 gallons, and on the bigger gens where they use a tiny 6 gallon tank we jumped ahead to 8 gallons!). Bigger tanks means longer run times; 12-14 hours on every gen without refueling! We didn't hesitate to provide an incredible 3 year warranty on all our gens, backed by our skilled service and parts department located in Phoenix, Arizona.

# Performance Series

The FIRMAN Performance Series generators are the heart of the FIRMAN line-up. As a leader in power generation for the past 20 years FIRMAN has designed our new Performance Series for the North American market. These generators perform everywhere it counts – bigger power, longer run times and an industry leading 3 year warranty. The Performance Series is comprised of over 20 models ranging from 1,000 to 10,000 watts. Some of the standard features include, electric start and remote start, the most commonly used receptacles, tubular steel frames, protective outlet covers and long lasting powder coated tanks.

In the areas of ease of use and service FIRMAN has delivered in a big way! FIRMAN Performance Series includes everything you need to get started right in the box, including a detailed owner's manual, funnel, start-up oil, tool kit, wheel kit when applicable, battery for our electric and remote start units, and quick-start guide. We've backed up every FIRMAN Performance Series with our legendary 3 year warranty as well as technical support provided by our highly skilled technicians in Phoenix, AZ.

THE FIRMAN PERFORMANCE
SERIES GENERATORS ARE THE
HEART OF THE FIRMAN LINE-UP.

### PO1001 1050 Watte Generator

### FIRMAN

### Performance series

Running / Starting Watts: 1050/1300
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- 3 year warranty.



### P01001 1050 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P01001 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876110041 |
| 50 States                         | Yes          |
| California (CARB)                 | Yes          |
| Canada (CETL)                     | Yes          |
| Running Watts                     | 1050         |
| Starting Watts                    | 1300         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 80           |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushless    |
| Automatic Voltage Regulator (AVR) | No           |
| Fuel Tank Volume (Gal)            | 1.3          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 9.0          |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                                    | No   |
|---|--|
| Wheel                                     | No   |
| Battery                                   | No   |
| Accessories                               | Oil Bottle-Funnel-Tool Kit<br>-Battery Charger Cable |
| Warranty Residential / Commercial (years) | 3/1  |
| Carton L×W×H (inch)                       | 17.9 × 15.4 × 14.2                                   |
| Unit Weight (lbs)                         | 45.3   |
| Shipping Weight (lbs)                     | 51.7   |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P01201 1200 Watts Generator

### FIRMAN

### Performance series

Running / Starting Watts: 1200/1500















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- Durable compact roll-cage frame design with 0.75" steel tubing.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P01201 1200 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P01201 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876112014 |
| 49 States                         | Yes          |
| California (CARB)                 | Yes          |
| Canada (CETL)                     | Yes          |
| Running Watts                     | 1200         |
| Starting Watts                    | 1500         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 80           |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushless    |
| Automatic Voltage Regulator (AVR) | No           |
| Fuel Tank Volume (Gal)            | 1.7          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 10.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                            | No                         |
|-----------------------------------|----------------------------|
| Wheel                             | No                         |
| Battery                           | No                         |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 20.3 × 15.8 × 17.6         |
| Unit Weight (lbs)                 | 54                         |
| Shipping Weight (lbs)             | 61                         |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P01202

1200 Watts Generator

### FIRMAN

### Performance series

Running / Starting Watts: 1200/1500
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- Durable compact roll-cage frame design with 0.75" steel tubing.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P01202 1200 Watte Generator

### FIRMAN


### Performance series


### **Specification**

| Model /Rev Level                  | P01202 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876112021 |
| 49 States                         | Yes          |
| California (CARB)                 | Yes          |
| Canada (CETL)                     | Yes          |
| Running Watts                     | 1200         |
| Starting Watts                    | 1500         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 80           |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushless    |
| Automatic Voltage Regulator (AVR) | No           |
| Fuel Tank Volume (Gal)            | 1.7          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 10.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| No                         |
|----------------------------|
| No                         |
| No                         |
| Oil Bottle-Funnel-Tool Kit |
| 3 Yrs Ltd / 90 Days        |
| 20.3 × 15.8 × 17.6         |
| 54                         |
| 61                         |
|                            |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

4-347-6261) www.firmangenerators.com

### P03501 3550 Watts Generator

## I RMAN®

### Performance series

Running / Starting Watts: 3550/4450

















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including cover, wheel kit, engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P03501 3550 Watte Generator

### FIRMAN


### Performance series


### **Specification**

| Model /Rev Level                  | P03501 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876135013 |
| 49 States                         | Yes          |
| California (CARB)                 | No           |
| Canada (CETL)                     | No           |
| Running Watts                     | 3550         |
| Starting Watts                    | 4450         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 208          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 5.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 14.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                            | Single Folding                                 |
|-----------------------------------|--|
| Wheel                             | 8.0" Flat Free                                 |
| Battery                           | No   |
| Accessories                       | cover-wheel kit-<br>Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days                            |
| Carton L×W×H (inch)               | 27.2 × 18.1 × 19.9                             |
| Unit Weight (lbs)                 | 108.5  |
| Shipping Weight (Ibs)             | 117  |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

261)

### P03601 3650 Watts Generator

### FIRMAN

### Performance series

Running / Starting Watts: 3650/4550


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P03601 3650 Watte Generator

### FIRMAN


### Performance series


### **Specification**

| Model /Rev Level                  | P03601 / 01  |
|-----------------------------------|--------------|
| UPC                               | 840876136010 |
| 49 States                         | Yes          |
| California (CARB)                 | No           |
| Canada (CETL)                     | Yes          |
| Running Watts                     | 3650         |
| Starting Watts                    | 4550         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 208          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 5.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 14.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                            | No                         |
|-----------------------------------|----------------------------|
| Wheel                             | No                         |
| Battery                           | No                         |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 24 × 18.1 × 19.9           |
| Unit Weight (lbs)                 | 101.5                      |
| Shipping Weight (lbs)             | 110                        |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

www.firmangenerators.com

Performance 3650 Watt Recoil EPA/cETL

### P03602 3650 Watts Generator

### **FIRMAN**<sup>®</sup>

#### Performance series

Running / Starting Watts: 3650/4550

Intertek

5001841
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P03602 3650 Watte Generator

### GIRMAN


### Performance series


### **Specification**

| Model /Rev Level                  | P03602 / 01  |
|-----------------------------------|--------------|
| UPC                               | 840876136027 |
| 49 States                         | Yes          |
| California (CARB)                 | No           |
| Canada (CETL)                     | Yes          |
| Running Watts                     | 3650         |
| Starting Watts                    | 4550         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 208          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 5.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 14.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| 0'                         |
|----------------------------|
| Single Folding             |
| 8.0" Flat Free             |
| No                         |
| Oil Bottle-Funnel-Tool Kit |
| 3 Yrs Ltd / 90 Days        |
| 27.2 × 18.1 × 19.9         |
| 108.5                      |
| 117                        |
|                            |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P03603 3650 Watts Generator

## **FIRMAN**<sup>®</sup>

#### Performance series

Running / Starting Watts: 3650/4550


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Remote up to 55 yards away for ease of starting and shut down.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.



Intertek

5001841



### P03603 3650 Watte Generator

### GIRMAN


### Performance series


### **Specification**

| Model /Rev Level                  | P03603 / 01            |
|-----------------------------------|------------------------|
| UPC                               | 840876136034           |
| 49 States                         | Yes                    |
| California (CARB)                 | No                     |
| Canada (CETL)                     | Yes                    |
| Running Watts                     | 3650                   |
| Starting Watts                    | 4550                   |
| Frequency (Hz)                    | 60                     |
| Engine Displacement (cc)          | 208                    |
| Engine Type                       | OHV                    |
| Starting System                   | Recoil/Electric/Remote |
| Cylinder                          | Single                 |
| Fuel Type                         | Gasoline               |
| Low Oil Shutdown                  | Yes                    |
| Cast Iron Sleeve                  | Yes                    |
| Brushed or Brushless Alternator   | Brushed                |
| Automatic Voltage Regulator (AVR) | Yes                    |
| Fuel Tank Volume (Gal)            | 5.0                    |
| Fuel Gauge                        | Yes                    |
| Runtime @50% load (hours)         | 14.0                   |
| USDA FS Certified Spark Arrester  | Yes                    |



| Handle                            | Single Folding             |
|-----------------------------------|----------------------------|
| Wheel                             | 8.0" Flat Free             |
| Battery                           | Yes                        |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 27.2 × 18.1 × 19.9         |
| Unit Weight (lbs)                 | 119.5                      |
| Shipping Weight (lbs)             | 128                        |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

# P03604 3650 Watts Generator

## **FIRMAN**<sup>®</sup>

#### Performance series

Running / Starting Watts: 3650/4550
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.



# P03604 3650 Watte Generator

### GIRMAN


### Performance series


### **Specification**

| Model /Rev Level                  | P03604 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876136041 |
| 49 States                         | Yes          |
| California (CARB)                 | No           |
| Canada (CETL)                     | No           |
| Running Watts                     | 3650         |
| Starting Watts                    | 4550         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 208          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 5.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 14.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                            | Single Folding             |
|-----------------------------------|----------------------------|
| Wheel                             | 8.0" Flat Free             |
| Battery                           | No                         |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 27.2 × 18.1 × 19.9         |
| Unit Weight (lbs)                 | 108.5                      |
| Shipping Weight (lbs)             | 117                        |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P03605 3650 Watts Generator

## FIRMAN

#### Performance series

Running / Starting Watts: 3650/4550


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P03605 3650 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P03605 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876136058 |
| 49 States                         | Yes          |
| California (CARB)                 | No           |
| Canada (CETL)                     | Yes          |
| Running Watts                     | 3650         |
| Starting Watts                    | 4550         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 208          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 5.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 14.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                            | No                         |
|-----------------------------------|----------------------------|
| Wheel                             | No                         |
| Battery                           | No                         |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 24 × 18.1 × 19.9           |
| Unit Weight (lbs)                 | 101.5                      |
| Shipping Weight (lbs)             | 110                        |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

www.firmangenerators.com

24 Performance 3650 Watt **EPA/cETL** Recoil

### P03606 3650 Watts Generator

## FIRMAN

#### Performance series

Running / Starting Watts: 3650/4550



CERTIFIED












- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P03606 3650 Watts Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P03606 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876136065 |
| 49 States                         | Yes          |
| California (CARB)                 | No           |
| Canada (CETL)                     | No           |
| Running Watts                     | 3650         |
| Starting Watts                    | 4550         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 208          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 5.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 14.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                            | No                         |
|-----------------------------------|----------------------------|
| Wheel                             | No                         |
| Battery                           | No                         |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 24 × 18.1 × 19.9           |
| Unit Weight (lbs)                 | 101.5                      |
| Shipping Weight (Ibs)             | 110                        |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P03607 3650 Watts Generator

## **FIRMAN**<sup>®</sup>

### Performance series

Running / Starting Watts: 3650/4550

















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P03607 3650 Watts Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P03607 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876136072 |
| 49 States                         | Yes          |
| California (CARB)                 | Yes          |
| Canada (CETL)                     | No           |
| Running Watts                     | 3650         |
| Starting Watts                    | 4550         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 208          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 5.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 14.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                            | No                         |
|-----------------------------------|----------------------------|
| Wheel                             | No                         |
| Battery                           | No                         |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 24 × 18.1 × 19.9           |
| Unit Weight (lbs)                 | 101.5                      |
| Shipping Weight (lbs)             | 110                        |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P03608 3650 Watts Generator

## **FIRMAN**<sup>®</sup>

#### Performance series

Running / Starting Watts: 3650/4550


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Remote up to 55 yards away for ease of starting and shut down.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.





### P03608 3650 Watte Generator

### FIRMAN


### Performance series


### **Specification**

| Model /Rev Level                  | P03608 / 00            |
|-----------------------------------|------------------------|
| UPC                               | 840876136089           |
| 49 States                         | Yes                    |
| California (CARB)                 | Yes                    |
| Canada (CETL)                     | No                     |
| Running Watts                     | 3650                   |
| Starting Watts                    | 4550                   |
| Frequency (Hz)                    | 60                     |
| Engine Displacement (cc)          | 208                    |
| Engine Type                       | OHV                    |
| Starting System                   | Recoil/Electric/Remote |
| Cylinder                          | Single                 |
| Fuel Type                         | Gasoline               |
| Low Oil Shutdown                  | Yes                    |
| Cast Iron Sleeve                  | Yes                    |
| Brushed or Brushless Alternator   | Brushed                |
| Automatic Voltage Regulator (AVR) | Yes                    |
| Fuel Tank Volume (Gal)            | 5.0                    |
| Fuel Gauge                        | Yes                    |
| Runtime @50% load (hours)         | 14.0                   |
| USDA FS Certified Spark Arrester  | Yes                    |



| Handle                            | Single Folding             |
|-----------------------------------|----------------------------|
| Wheel                             | 8.0" Flat Free             |
| Battery                           | Yes                        |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 27.2 × 18.1 × 19.9         |
| Unit Weight (lbs)                 | 119.5                      |
| Shipping Weight (Ibs)             | 128                        |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P03609 3650 Watts Generator

## **FIRMAN**<sup>®</sup>

### Performance series

Running / Starting Watts: 3650/4550



















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P03609 3650 Watts Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P03609 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876136096 |
| 49 States                         | Yes          |
| California (CARB)                 | No           |
| Canada (CETL)                     | Yes          |
| Running Watts                     | 3650         |
| Starting Watts                    | 4550         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 208          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 5.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 14.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                            | No                         |
|-----------------------------------|----------------------------|
| Wheel                             | No                         |
| Battery                           | No                         |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 24 × 18.1 × 19.9           |
| Unit Weight (lbs)                 | 101.5                      |
| Shipping Weight (lbs)             | 110                        |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

# P03611 3650 Watts Generator

## I BMAN

### Performance series

Running / Starting Watts: 3650/4550



CERTIFIED












- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P03611 3650 Watte Generator

### FIRMAN


### Performance series


### **Specification**

| Model /Rev Level                  | P03611 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876136119 |
| 49 States                         | Yes          |
| California (CARB)                 | No           |
| Canada (CETL)                     | No           |
| Running Watts                     | 3650         |
| Starting Watts                    | 4550         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 208          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 5.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 14.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Handle                            | No                         |
|-----------------------------------|----------------------------|
| Wheel                             | No                         |
| Battery                           | No                         |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 24 × 18.1 × 19.9           |
| Unit Weight (lbs)                 | 101.5                      |
| Shipping Weight (lbs)             | 110                        |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

www.firmangenerators.com

Performance 3650 Watt Recoil EPA

### P03612

3650 Watts Generator

### FIRMAN

### Performance series

**Running / Starting Watts: 3650/4550** 


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Remote up to 55 yards away for ease of starting and shut down.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt. dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.





### P03612 3650 Watte Generator

### GIRMAN


### Performance series


### **Specification**

| Model /Rev Level                  | P03612 / 01            |
|-----------------------------------|------------------------|
| UPC                               | 840876136126           |
| 49 States                         | Yes                    |
| California (CARB)                 | No                     |
| Canada (CETL)                     | Yes                    |
| Running Watts                     | 3650                   |
| Starting Watts                    | 4550                   |
| Frequency (Hz)                    | 60                     |
| Engine Displacement (cc)          | 208                    |
| Engine Type                       | OHV                    |
| Starting System                   | Recoil/Electric/Remote |
| Cylinder                          | Single                 |
| Fuel Type                         | Gasoline               |
| Low Oil Shutdown                  | Yes                    |
| Cast Iron Sleeve                  | Yes                    |
| Brushed or Brushless Alternator   | Brushed                |
| Automatic Voltage Regulator (AVR) | Yes                    |
| Fuel Tank Volume (Gal)            | 5.0                    |
| Fuel Gauge                        | Yes                    |
| Runtime @50% load (hours)         | 14.0                   |
| USDA FS Certified Spark Arrester  | Yes                    |



| Handle                            | Single Folding             |
|-----------------------------------|----------------------------|
| Wheel                             | 8.0" Flat Free             |
| Battery                           | Yes                        |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 27.2 × 18.1 × 19.9         |
| Unit Weight (Ibs)                 | 119.5                      |
| Shipping Weight (lbs)             | 128                        |
|                                   |                            |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P05701 5700 Watts Generator

### FIRMAN

### Performance series

Running / Starting Watts: 5700/7125
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



### P05701 5700 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P05701 / 00  |
|-----------------------------------|--------------|
| UPC                               | 840876157015 |
| 49 States                         | Yes          |
| California (CARB)                 | No           |
| Canada (CETL)                     | No           |
| Running Watts                     | 5700         |
| Starting Watts                    | 7125         |
| Frequency (Hz)                    | 60           |
| Engine Displacement (cc)          | 389          |
| Engine Type                       | OHV          |
| Starting System                   | Recoil       |
| Cylinder                          | Single       |
| Fuel Type                         | Gasoline     |
| Low Oil Shutdown                  | Yes          |
| Cast Iron Sleeve                  | Yes          |
| Brushed or Brushless Alternator   | Brushed      |
| Automatic Voltage Regulator (AVR) | Yes          |
| Fuel Tank Volume (Gal)            | 8.0          |
| Fuel Gauge                        | Yes          |
| Runtime @50% load (hours)         | 13.0         |
| USDA FS Certified Spark Arrester  | Yes          |



| Single Folding             |
|----------------------------|
| 10.0" Flat Free            |
| No                         |
| Oil Bottle-Funnel-Tool Kit |
| 3 Yrs Ltd / 90 Days        |
| 31.7 × 21.7 × 24.4         |
| 178                        |
| 188.5                      |
|                            |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

www.firmangenerators.com

38

5700 Watt

Recoil

**EPA** 

### P05702 5700 Watts Generator

## TO I RMAN®

### Performance series

Running / Starting Watts: 5700/7125


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.





### P05702 5700 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P05702 / 00            |
|-----------------------------------|------------------------|
| UPC                               | 840876157022           |
| 49 States                         | Yes                    |
| California (CARB)                 | No                     |
| Canada (CETL)                     | No                     |
| Running Watts                     | 5700                   |
| Starting Watts                    | 7125                   |
| Frequency (Hz)                    | 60                     |
| Engine Displacement (cc)          | 389                    |
| Engine Type                       | OHV                    |
| Starting System                   | Recoil/Electric/Remote |
| Cylinder                          | Single                 |
| Fuel Type                         | Gasoline               |
| Low Oil Shutdown                  | Yes                    |
| Cast Iron Sleeve                  | Yes                    |
| Brushed or Brushless Alternator   | Brushed                |
| Automatic Voltage Regulator (AVR) | Yes                    |
| Fuel Tank Volume (Gal)            | 8.0                    |
| Fuel Gauge                        | Yes                    |
| Runtime @50% load (hours)         | 13.0                   |
| USDA FS Certified Spark Arrester  | Yes                    |



| Single Folding             |
|----------------------------|
| 10.0" Flat Free            |
| Yes                        |
| Oil Bottle-Funnel-Tool Kit |
| 3 Yrs Ltd / 90 Days        |
| 31.7 × 21.7 × 24.4         |
| 178                        |
| 188.5                      |
|                            |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P05703 5700 Watts Generator

## GIRMAN

### Performance series

Running / Starting Watts: 5700/7125


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.









### P05703 5700 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P05703 / 00            |
|-----------------------------------|------------------------|
| UPC                               | 840876157039           |
| 49 States                         | Yes                    |
| California (CARB)                 | No                     |
| Canada (CETL)                     | Yes                    |
| Running Watts                     | 5700                   |
| Starting Watts                    | 7125                   |
| Frequency (Hz)                    | 60                     |
| Engine Displacement (cc)          | 389                    |
| Engine Type                       | OHV                    |
| Starting System                   | Recoil/Electric/Remote |
| Cylinder                          | Single                 |
| Fuel Type                         | Gasoline               |
| Low Oil Shutdown                  | Yes                    |
| Cast Iron Sleeve                  | Yes                    |
| Brushed or Brushless Alternator   | Brushed                |
| Automatic Voltage Regulator (AVR) | Yes                    |
| Fuel Tank Volume (Gal)            | 8.0                    |
| Fuel Gauge                        | Yes                    |
| Runtime @50% load (hours)         | 13.0                   |
| USDA FS Certified Spark Arrester  | Yes                    |



| Handle                            | Single Folding             |
|-----------------------------------|----------------------------|
| Wheel                             | 10.0" Flat Free            |
| Battery                           | Yes                        |
| Accessories                       | Oil Bottle-Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days        |
| Carton L×W×H (inch)               | 31.7 × 21.7 × 24.4         |
| Unit Weight (lbs)                 | 178                        |
| Shipping Weight (lbs)             | 188.5                      |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P08001 8000 Watts Generator

### FIRMAN

### Performance series

Running / Starting Watts: 8000/10000
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.





### P08001 8000 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P08001 / 00     |
|-----------------------------------|-----------------|
| UPC                               | 840876180013    |
| 49 States                         | Yes             |
| California (CARB)                 | Yes             |
| Canada (CETL)                     | No              |
| Running Watts                     | 8000            |
| Starting Watts                    | 10000           |
| Frequency (Hz)                    | 60              |
| Engine Displacement (cc)          | 439             |
| Engine Type                       | OHV             |
| Starting System                   | Recoil/Electric |
| Cylinder                          | Single          |
| Fuel Type                         | Gasoline        |
| Low Oil Shutdown                  | Yes             |
| Cast Iron Sleeve                  | Yes             |
| Brushed or Brushless Alternator   | Brushed         |
| Automatic Voltage Regulator (AVR) | Yes             |
| Fuel Tank Volume (Gal)            | 8.0             |
| Fuel Gauge                        | Yes             |
| Runtime @50% load (hours)         | 12.0            |
| USDA FS Certified Spark Arrester  | Yes             |



| Single Folding             |
|----------------------------|
| 10.0" Flat Free            |
| Yes                        |
| Oil Bottle-Funnel-Tool Kit |
| 3 Yrs Ltd / 90 Days        |
| 31.7 × 21.7 × 24.4         |
| 178                        |
| 188.5                      |
|                            |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P08002 8000 Watte Generator

## GIRMAN

### Performance series

Running / Starting Watts: 8000/10000














Circuit

Breaker

5-20R 120V 20A



- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.





### P08002 8000 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P08002 / 00     |
|-----------------------------------|-----------------|
| UPC                               | 840876180020    |
| 49 States                         | Yes             |
| California (CARB)                 | Yes             |
| Canada (CETL)                     | No              |
| Running Watts                     | 8000            |
| Starting Watts                    | 10000           |
| Frequency (Hz)                    | 60              |
| Engine Displacement (cc)          | 439             |
| Engine Type                       | OHV             |
| Starting System                   | Recoil/Electric |
| Cylinder                          | Single          |
| Fuel Type                         | Gasoline        |
| Low Oil Shutdown                  | Yes             |
| Cast Iron Sleeve                  | Yes             |
| Brushed or Brushless Alternator   | Brushed         |
| Automatic Voltage Regulator (AVR) | Yes             |
| Fuel Tank Volume (Gal)            | 8.0             |
| Fuel Gauge                        | Yes             |
| Runtime @50% load (hours)         | 12.0            |
| USDA FS Certified Spark Arrester  | Yes             |



| Cinala Faldina                 |
|--------------------------------|
| Single Folding                 |
| 10.0" Flat Free                |
| Yes                            |
| Oil Bottle-Funnel-Tool Kit     |
| 3 Yrs Ltd / 90 Days            |
| $31.7 \times 21.7 \times 24.4$ |
| 178                            |
| 188.5                          |
|                                |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P08003 8000 Watts Generator

## **FIRMAN**<sup>®</sup>

### Performance series

Running / Starting Watts: 8000/10000


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.





### P08003 8000 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P08003 / 01            |
|-----------------------------------|------------------------|
| UPC                               | 840876180037           |
| 49 States                         | Yes                    |
| California (CARB)                 | Yes                    |
| Canada (CETL)                     | No                     |
| Running Watts                     | 8000                   |
| Starting Watts                    | 10000                  |
| Frequency (Hz)                    | 60                     |
| Engine Displacement (cc)          | 439                    |
| Engine Type                       | OHV                    |
| Starting System                   | Recoil/Electric/Remote |
| Cylinder                          | Single                 |
| Fuel Type                         | Gasoline               |
| Low Oil Shutdown                  | Yes                    |
| Cast Iron Sleeve                  | Yes                    |
| Brushed or Brushless Alternator   | Brushed                |
| Automatic Voltage Regulator (AVR) | Yes                    |
| Fuel Tank Volume (Gal)            | 8.0                    |
| Fuel Gauge                        | Yes                    |
| Runtime @50% load (hours)         | 12.0                   |
| USDA FS Certified Spark Arrester  | Yes                    |



| Single Folding             |
|----------------------------|
| 10.0" Flat Free            |
| Yes                        |
| Oil Bottle-Funnel-Tool Kit |
| 3 Yrs Ltd / 90 Days        |
| 31.7 × 21.7 × 24.4         |
| 210.3                      |
| 237.6                      |
|                            |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

### P08004 8000 Watts Generator

## GIRMAN

### Performance series

#### Running / Starting Watts: 8000/10000


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.









### P08004 8000 Watte Generator


### Performance series


### **Specification**

| Model /Rev Level                  | P08004 / 00            |
|-----------------------------------|------------------------|
| UPC                               | 840876180044           |
| 49 States                         | Yes                    |
| California (CARB)                 | No                     |
| Canada (CETL)                     | Yes                    |
| Running Watts                     | 8000                   |
| Starting Watts                    | 10000                  |
| Frequency (Hz)                    | 60                     |
| Engine Displacement (cc)          | 439                    |
| Engine Type                       | OHV                    |
| Starting System                   | Recoil/Electric/Remote |
| Cylinder                          | Single                 |
| Fuel Type                         | Gasoline               |
| Low Oil Shutdown                  | Yes                    |
| Cast Iron Sleeve                  | Yes                    |
| Brushed or Brushless Alternator   | Brushed                |
| Automatic Voltage Regulator (AVR) | Yes                    |
| Fuel Tank Volume (Gal)            | 8.0                    |
| Fuel Gauge                        | Yes                    |
| Runtime @50% load (hours)         | 12.0                   |
| USDA FS Certified Spark Arrester  | Yes                    |



| Single Folding             |
|----------------------------|
| 10.0" Flat Free            |
| Yes                        |
| Oil Bottle-Funnel-Tool Kit |
| 3 Yrs Ltd / 90 Days        |
| 31.7 × 21.7 × 24.4         |
| 210.3                      |
| 237.6                      |
|                            |





27.9"



8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

# Whisper Series

True to its name the FIRMAN Whisper Series features some of the quietest inverter generators on the market. We've engineered these inverters so that they are able to vary their engine speed based on load. Not only does this technology mean FIRMAN inverters are whisper quiet, it makes them incredibly fuel efficient, providing up to 9 hours of run time on one tank of fuel. FIRMAN Whisper Series inverters deliver clean power at a very low Total Harmonic Distortion (THD) which makes them ideal for sensitive medical or electronic equipment.

In order to provide the ultimate in flexibility all FIRMAN Whisper Series inverters include USB ports that can be used to charge cell phones, tablets and all of the other devices that have become such integral parts of our lives. Our 3000W series inverters and parallel kits feature an RV-Ready TT-30R outlet so you can keep the fun going with your camper, toy hauler or RV. It's possible to achieve nearly double power or more by connecting two FIRMAN Whisper Series inverters with a FIRMAN Parallel Kit, and with FIRMAN you have the freedom to connect two of the same or even different size inverters. To ensure safety in all types of weather we've included outlet covers on every Whisper Series inverter.

In the areas of ease of use and service FIRMAN has delivered in a big way! FIRMAN Whisper Series Inverters include everything you need to get started right in the box, including a detailed owner's manual, funnel, start-up oil, tool kit, and quick-start guide. We've backed up every FIRMAN Whisper Series inverter with our legendary 3 year warranty as well as technical support provided by our highly skilled technicians in Phoenix, AZ.

ff

# SOME OF THE QUIETEST INVERTER GENERATORS ON THE MARKET

# WO1781 1700 Watts Generator

## FIRMAN®

### Whisper series

Running / Starting Watts: 1700/2100
























- Fuel Economy Mode reduces fuel consumption and promotes engine efficiency.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- 3 year warranty.



### WO1781 1700 Watte Generator

### FIRMAN


### Whisper series


### **Specification**

| Model /Rev Level                 | W01781 / 01  |
|----------------------------------|--------------|
| UPC                              | 840876117811 |
| 50 States                        | Yes          |
| California (CARB)                | Yes          |
| Canada (CETL)                    | Yes          |
| Running Watts                    | 1700         |
| Starting Watts                   | 2100         |
| Frequency (Hz)                   | 60           |
| Engine Displacement (cc)         | 80           |
| Engine Type                      | OHV          |
| Starting System                  | Recoil       |
| Cylinder                         | Single       |
| Fuel Type                        | Gasoline     |
| Low Oil Shutdown                 | Yes          |
| Cast Iron Sleeve                 | Yes          |
| Brushed or Brushless Alternator  | Brushless    |
| Inverter                         | Yes          |
| Fuel Tank Volume (Gal)           | 0.9          |
| Fuel Gauge                       | No           |
| Runtime @25% load (hours)        | 9.0          |
| USDA FS Certified Spark Arrester | Yes          |



| Battery                                   | No   |
|---|--|
| Accessories                               | Oil Bottle-Funnel-Tool Kit<br>-Battery Charger Cable |
| Warranty Residential / Commercial (years) | 3 Yrs Ltd / 90 Days                                  |
| Carton L×W×H (inch)                       | 21.7 × 15.0 × 18.3                                   |
| Unit Weight (lbs)                         | 45.9   |
| Shipping Weight (lbs)                     | 51.6   |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

# WO1782 1700 Watts Generator

## GIRMAN

### Whisper series

#### **Running / Starting Watts: 1700/2100**




















- Fuel Economy Mode reduces fuel consumption and promotes engine efficiency.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- Lifetime warranty.









### WO1782 1700 Watte Generator

### GIRMAN

### Whisper series


### **Specification**


| Model /Rev Level                 | W01782 / 00  |
|----------------------------------|--------------|
| UPC                              | 840876117828 |
| 50 States                        | Yes          |
| California (CARB)                | Yes          |
| Canada (CETL)                    | Yes          |
| Running Watts                    | 1700         |
| Starting Watts                   | 2100         |
| Frequency (Hz)                   | 60           |
| Engine Displacement (cc)         | 80           |
| Engine Type                      | OHV          |
| Starting System                  | Recoil       |
| Cylinder                         | Single       |
| Fuel Type                        | Gasoline     |
| Low Oil Shutdown                 | Yes          |
| Cast Iron Sleeve                 | Yes          |
| Brushed or Brushless Alternator  | Brushless    |
| Inverter                         | Yes          |
| Fuel Tank Volume (Gal)           | 0.9          |
| Fuel Gauge                       | No           |
| Runtime @25% load (hours)        | 9.0          |
| USDA FS Certified Spark Arrester | Yes          |

| FIRMAN        | 8716 West Ludlow Dr. Suite #6<br>Peoria, AZ 85381 |                          |
|---------------|---|--------------------------|
| 1-844-FIRMAN1 | (1-844-347-6261)                                  | www.firmangenerators.com |



| Battery                           | No   |
|-----------------------------------|--|
| Accessories                       | Oil Bottle-Funnel-Tool Kit<br>-Battery Charger Cable |
| Warranty Residential / Commercial | 3 Yrs Ltd / 90 Days                                  |
| Carton L×W×H (inch)               | 21.7 × 15.0 × 18.3                                   |
| Unit Weight (Ibs)                 | 45.9   |
| Shipping Weight (lbs)             | 51.6   |





# W03081 3000 Watts Generator

### FIRMAN®

### Whisper series

Running / Starting Watts: 3000/3300
























- Fuel Economy Mode reduces fuel consumption and promotes engine efficiency.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in industry with extended run-time (less re-fueling).
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- 3 year warranty: best in industry.



# WO3081 3000 Watte Generator

### FIRMAN


### Whisper series


### **Specification**

| Model /Rev Level                 | W03081 / 00  |
|----------------------------------|--------------|
| UPC                              | 840876130810 |
| 50 States                        | Yes          |
| California (CARB)                | Yes          |
| Canada (CETL)                    | Yes          |
| Running Watts                    | 3000         |
| Starting Watts                   | 3300         |
| Frequency (Hz)                   | 60           |
| Engine Displacement (cc)         | 171          |
| Engine Type                      | OHV          |
| Starting System                  | Recoil       |
| Cylinder                         | Single       |
| Fuel Type                        | Gasoline     |
| Low Oil Shutdown                 | Yes          |
| Cast Iron Sleeve                 | Yes          |
| Brushed or Brushless Alternator  | Brushless    |
| Inverter                         | Yes          |
| Fuel Tank Volume (Gal)           | 1.8          |
| Fuel Gauge                       | No           |
| Runtime @25% load (hours)        | 9.0          |
| USDA FS Certified Spark Arrester | Yes          |



| Battery                                   | No   |
|---|--|
| Accessories                               | Oil Bottle-Funnel-Tool Kit<br>-Battery Charger Cable |
| Warranty Residential / Commercial (years) | 3 Yrs Ltd / 90 Days                                  |
| Carton L×W×H (inch)                       | 26.6 × 18.9 × 19.3                                   |
| Unit Weight (lbs)                         | 84   |
| Shipping Weight (Ibs)                     | 94   |





**EPA/CARB/cETL** 



8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

# W03082 3000 Watts Generator

## **FIRMAN**<sup>®</sup>

### Whisper series

Running / Starting Watts: 3000/3300
























- Fuel Economy Mode reduces fuel consumption and promotes engine efficiency.
- The FIRMAN OHV electric start engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- · Largest tank in industry with extended run-time (less re-fueling).
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- Included battery for your convenience.
- 3 year warranty: best in industry.



### W03082 3000 Watte Generator


### Whisper series


### **Specification**

| Model /Rev Level                 | W03082 / 00       |
|----------------------------------|-------------------|
| UPC                              | 840876130827      |
| 50 States                        | Yes               |
| California (CARB)                | Yes               |
| Canada (CETL)                    | Yes               |
| Running Watts                    | 3000              |
| Starting Watts                   | 3300              |
| Frequency (Hz)                   | 60                |
| Engine Displacement (cc)         | 171               |
| Engine Type                      | OHV               |
| Starting System                  | Recoil / Electric |
| Cylinder                         | Single            |
| Fuel Type                        | Gasoline          |
| Low Oil Shutdown                 | Yes               |
| Cast Iron Sleeve                 | Yes               |
| Brushed or Brushless Alternator  | Brushless         |
| Inverter                         | Yes               |
| Fuel Tank Volume (Gal)           | 1.8               |
| Fuel Gauge                       | Yes               |
| Runtime @25% load (hours)        | 9.0               |
| USDA FS Certified Spark Arrester | Yes               |



| Battery                                   | Yes  |
|---|--|
| Accessories                               | Oil Bottle-Funnel-Tool Kit<br>-Battery Charger Cable |
| Warranty Residential / Commercial (years) | 3 Yrs Ltd / 90 Days                                  |
| Carton L×W×H (inch)                       | 26.6 × 18.9 × 19.3                                   |
| Unit Weight (lbs)                         | 90   |
| Shipping Weight (lbs)                     | 105  |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

# W03083 3000 Watts Generator

## FIRMAN®

### Whisper series

#### Running / Starting Watts: 3000/3300


























- Fuel Economy Mode reduces fuel consumption and promotes engine efficiency.
- The FIRMAN OHV electric start engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- · Largest tank in industry with extended run-time (less re-fueling).
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- Included battery for your convenience.
- 3 year warranty: best in industry.



### **W03083** 3000 Watte Generator


### Whisper series


### **Specification**

| Model /Rev Level                 | W03083 / 00            |
|----------------------------------|------------------------|
| UPC                              | 840876130834           |
| 50 States                        | Yes                    |
| California (CARB)                | Yes                    |
| Canada (CETL)                    | Yes                    |
| Running Watts                    | 3000                   |
| Starting Watts                   | 3300                   |
| Frequency (Hz)                   | 60                     |
| Engine Displacement (cc)         | 171                    |
| Engine Type                      | OHV                    |
| Starting System                  | Recoil/Electric/Remote |
| Cylinder                         | Single                 |
| Fuel Type                        | Gasoline               |
| Low Oil Shutdown                 | Yes                    |
| Cast Iron Sleeve                 | Yes                    |
| Brushed or Brushless Alternator  | Brushless              |
| Inverter                         | Yes                    |
| Fuel Tank Volume (Gal)           | 1.8                    |
| Fuel Gauge                       | Yes                    |
| Runtime @25% load (hours)        | 9.0                    |
| USDA FS Certified Spark Arrester | Yes                    |



| Battery                                   | Yes  |
|---|--|
| Accessories                               | Oil Bottle-Funnel-Tool Kit<br>-Battery Charger Cable |
| Warranty Residential / Commercial (years) | 3 Yrs Ltd / 90 Days                                  |
| Carton L×W×H (inch)                       | 26.6 × 18.9 × 19.3                                   |
| Unit Weight (lbs)                         | 90   |
| Shipping Weight (lbs)                     | 105  |





**EPA/CARB/cETL** 



8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

www.firmangenerators.com

3000 Watt

# Hybrid Series

FIRMAN Hybrid Dual Fuel Generators – the new standard in power generation and exceptional performance. Our Dual Fuel generators allow users the option to run off traditional gas or liquid propane for 20 hours of combined run time (with a common 20 lb LP tank) and our largest in industry gas tanks, 5 Gal on the FIRMAN 3-4.9 KW's and 8 Gals on our 5KW and larger. Experience the power and performance of FIRMAN generators, whether you're a Crossroads Camper, Weekend Warrior, Professional Contractor, or just preparing for the next storm or the next "Zombie Apocalypse". Our Hybrid "Dual Fuel" models range from 3000W's to 10,000W's so you can accommodate any of your outdoor power needs and have fuel options that will allow you to accomplish your mission when and where you need.

In the areas of ease of use and service FIRMAN has delivered in a big way! FIRMAN Hybrid Series Dual Fuels include everything you need to get started right in the box, including a detailed owner's manual, funnel, start-up oil, tool kit, wheel kit, battery for our electric start units, 5.5 ft propane hose, and quick-start guide. We've backed up every FIRMAN Hybrid Series with our legendary 3 year warranty as well as technical support provided by our highly skilled technicians in Phoenix, AZ.





Running/Starting Watts: 3300/4100

5001841

Running/Starting Watts: 3650/4550
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5.5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- · Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.






### **Specification**


|      | Model /Rev Level                 | P03651 / 00     |
|------|----------------------------------|-----------------|
|      | UPC                              | 840876136515    |
|      | 49 States                        | Yes             |
|      | California (CARB)                | Yes             |
|      | Canada (CETL)                    | Yes             |
|      | LPG Running Watts                | 3300            |
| LPG  | LPG Starting Watts               | 4100            |
| GAS) | GAS Running Watts                | 3650            |
| Uzaa | GAS Starting Watts               | 4550            |
|      | Frequency (Hz)                   | 60              |
|      | Engine Displacement (cc)         | 208             |
|      | Engine Type                      | OHV             |
|      | Starting System                  | Recoil/Electric |
|      | Cylinder                         | Single          |
|      | Fuel Type                        | Gasoline/LPG    |
|      | Low Oil Shutdown                 | Yes             |
|      | Cast Iron Sleeve                 | Yes             |
|      | Brushed or Brushless Alternator  | Brushed         |
| A    | utomatic Voltage Regulator (AVR) | Yes             |
|      | Fuel Tank Volume (Gal)           | 5.0             |
|      | Fuel Gauge                       | Yes             |
|      | Runtime @50% load (hours)        | 14.0            |
| l    | JSDA FS Certified Spark Arrester | Yes             |





| Handle                            | Single Folding                          |
|-----------------------------------|---|
| Wheel                             | 8.0" Flat Free                          |
| Battery                           | Yes                                     |
| Accessories                       | Wheel kit-Oil Bottle<br>Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 years / 90 days                       |
| Carton L×W×H (inch)               | 27.9 × 18.1 × 20.5                      |
| Unit Weight (lbs)                 | 119.5                                   |
| Shipping Weight (lbs)             | 135                                     |





3650 Watt



Running/Starting Watts: 3300/4100

Running/Starting Watts: 3650/4550
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5.5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.






### **Specification**


|      | Model /Rev Level                 | P03652 / 00  |
|------|----------------------------------|--------------|
|      | UPC                              | 840876136522 |
|      | 49 States                        | Yes          |
|      | California (CARB)                | Yes          |
|      | Canada (CETL)                    | Yes          |
| ā    | LPG Running Watts                | 3300         |
| LPE  | LPG Starting Watts               | 4100         |
| GAS) | GAS Running Watts                | 3650         |
| Uzaa | GAS Starting Watts               | 4550         |
|      | Frequency (Hz)                   | 60           |
|      | Engine Displacement (cc)         | 208          |
|      | Engine Type                      | OHV          |
|      | Starting System                  | Recoil       |
|      | Cylinder                         | Single       |
|      | Fuel Type                        | Gasoline/LPG |
|      | Low Oil Shutdown                 | Yes          |
|      | Cast Iron Sleeve                 | Yes          |
| ·    | Brushed or Brushless Alternator  | Brushed      |
| A    | utomatic Voltage Regulator (AVR) | Yes          |
|      | Fuel Tank Volume (Gal)           | 5.0          |
|      | Fuel Gauge                       | Yes          |
|      | Runtime @50% load (hours)        | 14.0         |
| l    | JSDA FS Certified Spark Arrester | Yes          |





| Handle                            | Single Folding                          |
|-----------------------------------|---|
| Wheel                             | 8.0" Flat Free                          |
| Battery                           | No                                      |
| Accessories                       | Wheel kit-Oil Bottle<br>Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 years / 90 days                       |
| Carton L×W×H (inch)               | 27.9 × 18.1 × 20.5                      |
| Unit Weight (lbs)                 | 112                                     |
| Shipping Weight (lbs)             | 128                                     |







Running/Starting Watts: 5700/7125

Running/Starting Watts: 5700/7125
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5.5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- . Included battery for your convenience.
- . 3 year warranty: best in industry.






### **Specification**


|      | Model /Rev Level                 | P05751 / 00     |
|------|----------------------------------|-----------------|
|      | UPC                              | 840876157510    |
|      | 49 States                        | Yes             |
|      | California (CARB)                | Yes             |
|      | Canada (CETL)                    | No              |
| 8    | LPG Running Watts                | 5700            |
| LPE  | LPG Starting Watts               | 7125            |
| GAS  | GAS Running Watts                | 5700            |
| Uzaa | GAS Starting Watts               | 7125            |
|      | Frequency (Hz)                   | 60              |
|      | Engine Displacement (cc)         | 439             |
|      | Engine Type                      | OHV             |
|      | Starting System                  | Recoil/Electric |
|      | Cylinder                         | Single          |
|      | Fuel Type                        | Gasoline/LPG    |
|      | Low Oil Shutdown                 | Yes             |
|      | Cast Iron Sleeve                 | Yes             |
|      | Brushed or Brushless Alternator  | Brushed         |
| A    | utomatic Voltage Regulator (AVR) | Yes             |
|      | Fuel Tank Volume (Gal)           | 8.0             |
|      | Fuel Gauge                       | Yes             |
|      | Runtime @50% load (hours)        | 13.0            |
| l    | JSDA FS Certified Spark Arrester | Yes             |





| Handle                            | Single Folding                          |
|-----------------------------------|---|
| Wheel                             | 10.0" Flat Free                         |
| Battery                           | Yes                                     |
| Accessories                       | Wheel kit-Oil Bottle<br>Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 years / 90 days                       |
| Carton L×W×H (inch)               | 32.1 × 22.2 × 24.4                      |
| Unit Weight (lbs)                 | 196                                     |
| Shipping Weight (Ibs)             | 212                                     |





5700 Watt



Running/Starting Watts: 5700/7125

Running/Starting Watts: 5700/7125
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5.5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.





## GIRMAN


## Hybrid Series

### **Specification**


|                                   | Model /Rev Level                 | P05752 / 00  |
|-----------------------------------|----------------------------------|--------------|
| UPC                               |                                  | 840876157527 |
| 49 States                         |                                  | Yes          |
|                                   | California (CARB)                | Yes          |
|                                   | Canada (CETL)                    | No           |
| 8                                 | LPG Running Watts                | 5700         |
| LPG                               | LPG Starting Watts               | 7125         |
| EAS)                              | GAS Running Watts                | 5700         |
| <u>GAS</u> U                      | GAS Starting Watts               | 7125         |
|                                   | Frequency (Hz)                   | 60           |
|                                   | Engine Displacement (cc)         | 439          |
| Engine Type                       |                                  | OHV          |
| Starting System                   |                                  | Recoil       |
| Cylinder                          |                                  | Single       |
| Fuel Type                         |                                  | Gasoline/LPG |
| Low Oil Shutdown                  |                                  | Yes          |
| Cast Iron Sleeve                  |                                  | Yes          |
| Brushed or Brushless Alternator   |                                  | Brushed      |
| Automatic Voltage Regulator (AVR) |                                  | Yes          |
| Fuel Tank Volume (Gal)            |                                  | 8.0          |
| Fuel Gauge                        |                                  | Yes          |
| Runtime @50% load (hours)         |                                  | 13.0         |
| l                                 | JSDA FS Certified Spark Arrester | Yes          |



| Handle                            | Single Folding                          |
|-----------------------------------|---|
| Wheel                             | 10.0" Flat Free                         |
| Battery                           | No                                      |
| Accessories                       | Wheel kit-Oil Bottle<br>Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 years / 90 days                       |
| Carton L×W×H (inch)               | 32.1 × 22.2 × 24.4                      |
| Unit Weight (lbs)                 | 176                                     |
| Shipping Weight (lbs)             | 195                                     |
|                                   |   |



Recoil





8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

www.firmangenerators.com

72



Running/Starting Watts: 5700/7125

Running/Starting Watts: 5700/7125
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5.5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.





## GIRMAN


## Hybrid Series


### **Specification**

|                                   | Model /Rev Level                 | P05754 / 00  |
|-----------------------------------|----------------------------------|--------------|
| UPC                               |                                  | 840876157541 |
| 49 States                         |                                  | Yes          |
|                                   | California (CARB)                | No           |
|                                   | Canada (CETL)                    | Yes          |
| 8                                 | LPG Running Watts                | 5700         |
| LPE                               | LPG Starting Watts               | 7125         |
|                                   | GAS Running Watts                | 5700         |
| GAS U                             | GAS Starting Watts               | 7125         |
|                                   | Frequency (Hz)                   | 60           |
|                                   | Engine Displacement (cc)         | 439          |
| Engine Type                       |                                  | OHV          |
| Starting System                   |                                  | Recoil       |
| Cylinder                          |                                  | Single       |
| Fuel Type                         |                                  | Gasoline/LPG |
| Low Oil Shutdown                  |                                  | Yes          |
| Cast Iron Sleeve                  |                                  | Yes          |
| Brushed or Brushless Alternator   |                                  | Brushed      |
| Automatic Voltage Regulator (AVR) |                                  | Yes          |
| Fuel Tank Volume (Gal)            |                                  | 8.0          |
|                                   | Fuel Gauge                       | Yes          |
|                                   | Runtime @50% load (hours)        | 13.0         |
| l                                 | JSDA FS Certified Spark Arrester | Yes          |



| Handle                            | Single Folding                          |
|-----------------------------------|---|
| Wheel                             | 10.0" Flat Free                         |
| Battery                           | No                                      |
| Accessories                       | Wheel kit-Oil Bottle<br>Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 years / 90 days                       |
| Carton L×W×H (inch)               | 32.1 × 22.2 × 24.4                      |
| Unit Weight (lbs)                 | 176                                     |
| Shipping Weight (lbs)             | 195                                     |







8716 West Ludlow Dr. Suite #6 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

www.firmangenerators.com





Running/Starting Watts: 8000/10000
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5.5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- . Included battery for your convenience.
- . 3 year warranty: best in industry.






### **Specification**


|                                   | Model /Rev Level                 | P08051 / 00     |
|-----------------------------------|----------------------------------|-----------------|
| UPC                               |                                  | 840876180518    |
| 49 States                         |                                  | Yes             |
|                                   | California (CARB)                | Yes             |
|                                   | Canada (CETL)                    | No              |
| 8                                 | LPG Running Watts                | 7250            |
| O<br>IPE                          | LPG Starting Watts               | 9050            |
| GAS)                              | GAS Running Watts                | 8000            |
| BAS U                             | GAS Starting Watts               | 10000           |
| Frequency (Hz)                    |                                  | 60              |
| Engine Displacement (cc)          |                                  | 439             |
| Engine Type                       |                                  | OHV             |
| Starting System                   |                                  | Recoil/Electric |
| Cylinder                          |                                  | Single          |
| Fuel Type                         |                                  | Gasoline/LPG    |
| Low Oil Shutdown                  |                                  | Yes             |
| Cast Iron Sleeve                  |                                  | Yes             |
| Brushed or Brushless Alternator   |                                  | Brushed         |
| Automatic Voltage Regulator (AVR) |                                  | Yes             |
| Fuel Tank Volume (Gal)            |                                  | 8.0             |
| Fuel Gauge                        |                                  | Yes             |
|                                   | Runtime @50% load (hours)        | 12.0            |
| l                                 | JSDA FS Certified Spark Arrester | Yes             |





| Handle                            | Single Folding                          |
|-----------------------------------|---|
| Wheel                             | 10.0" Flat Free                         |
| Battery                           | Yes                                     |
| Accessories                       | Wheel kit-Oil Bottle<br>Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 years / 90 days                       |
| Carton L×W×H (inch)               | 32.1 × 22.2 × 24.4                      |
| Unit Weight (lbs)                 | 212                                     |
| Shipping Weight (lbs)             | 234                                     |







Running/Starting Watts:7250/9050

Running/Starting Watts: 8000/10000
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5.5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- . Bonus accessories including engine oil, oil funnel and tool kit.
- . Included battery for your convenience.
- . 3 year warranty: best in industry.






### **Specification**


|                                   | Model /Rev Level                 | P08053 / 00     |
|-----------------------------------|----------------------------------|-----------------|
| UPC                               |                                  | 840876180532    |
| 49 States                         |                                  | Yes             |
|                                   | California (CARB)                | No              |
|                                   | Canada (CETL)                    | Yes             |
| 8                                 | LPG Running Watts                | 7250            |
| LPE LPE                           | LPG Starting Watts               | 9050            |
| GAS)                              | GAS Running Watts                | 8000            |
| GASU                              | GAS Starting Watts               | 10000           |
|                                   | Frequency (Hz)                   | 60              |
| Engine Displacement (cc)          |                                  | 439             |
| Engine Type                       |                                  | OHV             |
| Starting System                   |                                  | Recoil/Electric |
| Cylinder                          |                                  | Single          |
| Fuel Type                         |                                  | Gasoline/LPG    |
| Low Oil Shutdown                  |                                  | Yes             |
| Cast Iron Sleeve                  |                                  | Yes             |
| Brushed or Brushless Alternator   |                                  | Brushed         |
| Automatic Voltage Regulator (AVR) |                                  | Yes             |
| Fuel Tank Volume (Gal)            |                                  | 8.0             |
| Fuel Gauge                        |                                  | Yes             |
|                                   | Runtime @50% load (hours)        | 12.0            |
| l                                 | JSDA FS Certified Spark Arrester | Yes             |






| Handle                            | Single Folding                          |
|-----------------------------------|---|
| Wheel                             | 10.0" Flat Free                         |
| Battery                           | Yes                                     |
| Accessories                       | Wheel kit-Oil Bottle<br>Funnel-Tool Kit |
| Warranty Residential / Commercial | 3 years / 90 days                       |
| Carton L×W×H (inch)               | 32.1 × 22.2 × 24.4                      |
| Unit Weight (lbs)                 | 212                                     |
| Shipping Weight (lbs)             | 234                                     |
|                                   | •                                       |





# Accessories



## 1002 Medium Generator Cover

# GIRMAN

## Accessories











### **Features & Benefits**

- Fits the Medium Wattage Generators 3000 4900 Watts or up to 25.4" X 18.3" X 19.5"
- Double insulated
- Durable exterior finish built to last for years
- Easy to install
- Powerful, durable pull cord to keep your cover secure even in windy conditions
- FIRMAN logo printed in Bold FIRMAN Gold across front
- 120 day warranty

| Material                                 | PEVA          |
|--|---------------|
| Carton L×W×H (inch)                      | 11.4"x6.9"x4" |
| Warranty Residential / Commercial (days) | 120/90        |
| Unit Weight (Ibs)                        | 1.5           |
| Model No.                                | 1002          |
| UPC                                      | 840876100400  |



## 1003 Generator Wheel Kit

## FIRMAN

### Accessories





CIBMAN

FIRMAN







### **Features & Benefits**

- Fits the Medium Wattage Generators 3000 4900 Watts
- Allows instant portability
- Two 8.0" Never-Flat wheels
- Single Grip Fold-away handle
- Support leg with vibration reduction mounts
- Easy installation
- 120 day warranty

| Carton L×W×H (inch)                      | 17.7"x10.9"x3.2" |
|--|------------------|
| Warranty Residential / Commercial (days) | 120/90           |
| Unit Weight (lbs)                        | 6.17             |
| Model No.                                | 1003             |
| UPC                                      | 840876100394     |



## 1005 Parallel Kit

## Accessories















#### **Features & Benefits**

- Connects two FIRMAN Inverter generators together to double or triple your power!
- Combine any 2 FIRMAN Inverters from our FIRMAN Inverter Family, 2100's, 3300's mix and match as you need and/or desire
- Outlet covers to protect the outlets from dust and debris
- LED panel for improved visibility anytime, anywhere.
- Built in compartment for paralllel cords for easy storage as show in below picture
- Small, portable design
- Easy to operate
- 120 day warranty

| Outlets                                  | TT-30R 120V – 30A, L5-30R 120V – 30A |
|--|--------------------------------------|
| Carton L×W×H (inch)                      | 10.2″x6.2″x9.0″                      |
| Warranty Residential / Commercial (days) | 120/90                               |
| Unit Weight (lbs)                        | 3.97                                 |
| Model No.                                | 1005                                 |
| UPC                                      | 840876100417                         |



## 1006 Small Generator Cover

## FIRMAN

## Accessories











#### **Features & Benefits**

- Fits the Small Wattage Generators 1000 2000 Watts or up to 17.5" X 14.1" X 15.1"
- Double insulated
- Durable exterior finish built to last for years
- Easy to install
- Powerful, durable pull cord to keep your cover secure even in windy conditions
- FIRMAN logo printed in Bold FIRMAN Gold across front
- 120 day warranty

| Material                                 | PEVA         |
|--|--------------|
| Carton L×W×H (inch)                      | 9.9"x5.5"x4" |
| Warranty Residential / Commercial (days) | 120/90       |
| Unit Weight (lbs)                        | 1.2          |
| Model No.                                | 1006         |
| UPC                                      | 840876100424 |



## 1007 Inverter Generator Cover

# FIRMAN

### Accessories











- Fits the Inverter Generators 2700 3500 Watts or up to 22.8" X 17.3" X 17.9"
- Double insulated
- Durable exterior finish built to last for years
- · Easy to install
- Powerful, durable pull cord to keep your cover secure even in windy conditions
- FIRMAN logo printed in Bold FIRMAN Gold across front
- 120 day warranty

| Material                                 | PEVA          |
|--|---------------|
| Carton L×W×H (inch)                      | 11.4"x6.9"x4" |
| Warranty Residential / Commercial (days) | 120/90        |
| Unit Weight (Ibs)                        | 1.5           |
| Model No.                                | 1007          |
| UPC                                      | 840876100431  |



## 1008

## Small Inverter Generator Cover

### Accessories











### **Features & Benefits**

- Fits the Small Inverter Generators 1500 2200 Watts or up to 18.9" X 11.8" X 15.4"
- Double insulated
- Durable exterior finish built to last for years
- Easy to install
- Powerful, durable pull cord to keep your cover secure even in windy conditions
- FIRMAN logo printed in Bold FIRMAN Gold across front
- Integrated zipper and velcro flap to carry your Inverter while it's covered
- 120 day warranty

| Material                                 | PEVA         |
|--|--------------|
| Carton L×W×H (inch)                      | 9.9"x5.5"x4" |
| Warranty Residential / Commercial (days) | 120/90       |
| Unit Weight (Ibs)                        | 1.2          |
| Model No.                                | 1008         |
| UPC                                      | 840876100448 |



## 1009 Large Generator Cover

## FIRMAN

### Accessories











### **Features & Benefits**

- Fits the Large Wattage Generators 5000 Watts and up or up to 29.5" X 21.7" X 24"
- Double insulated
- Durable exterior finish built to last for years
- · Easy to install
- Powerful, durable pull cord to keep your cover secure even in windy conditions
- FIRMAN logo printed in Bold FIRMAN Gold across front
- 120 day warranty

| Material                                 | PEVA          |
|--|---------------|
| Carton L×W×H (inch)                      | 13.7"x8.1"x4" |
| Warranty Residential / Commercial (days) | 120/90        |
| Unit Weight (Ibs)                        | 2             |
| Model No.                                | 1009          |
| UPC                                      | 840876100455  |





